
WO 2005/055805 PCT/US2004/040423



WO 2005/055805 PCT/US2004/040423

2/11




Fig. 2




Fig. 2A

WO 2005/055805 PCT/US2004/040423

4/11




Fig. 2B

Akgo based new associated sigr											31	LJ	L						-			
Algo Based Alternative Syndromes by Probability with Polydactyly at 10 wks, After Earliest seen&Classif Exclusion of Meckel-Gruber Syndrome Algo b	Bardet-Biedi syndrome	Ellis-Van Creveld syndrome	Short rib polydactyly syndrome Type 1	Palister-Killan Syndrome	46, XY, -5, +der(5)	APERT SYNDROME	BECKWITH-WIEDEMANN SYNDROME; BWS	HOLT-ORAM SYNDROME; HOS	ACHONDROGENESIS, TYPE II; ACG2	FRASER SYNDROME	RUTLEDGE LETHAL MULTIPLE CONGENITAL. ANOMALY SYNDROME	SMITH-LEMLI-OPITZ SYNDROME; SLOS	SIMPSON-GOLABLBEHMEL SYNDROME, TYPE 1; SGBS1	ACROCALLOSAL SYNDROME; ACLS	ASPHYXIATING THORACIC DYSTROPHY; ATD	JOUBERT SYNDROME 1; JBTS1	HYDROLETHALUS SYNDROME	SPLIT-HAND/FOOT MALFORMATION 3; SHFM3	ECTODERMAL DYSPLASIA SYNDROME WITH DISTINCTIVE FACIAL APPEARANCE AND PREAXIAL POLYDACTYLY OF FEET	VATER ASSOCIATION	DANDY-WALKER MALFORMATION WITH POSTAXIAL POLYDACTYLY	JOUBERT SYNDROME WITH BILATERAL CHORIORETINAL COLOBOMA
Earliest seen&Classif			12wks I		11wks I	12wks	10wks I	15wks	11wtcs	11wks i			10 WKS (I	11wks 1	11wks I	15wks				10wks I	10wks III	
Algo Based Associated Signs		Sloping forehead	Micrognathia -	Potter-like facies	Low-set ears	Microphthalmia	Hypotelorism	Hypartelorism	Cleft palate	Cleft lip	Macrostomia	Short neck	Increased NT	Septal defects	Coandation of aorta	Pulmonary hypopiasia 15wks	Splenomegaly	Asplenia	Accessory spleen	Single umbilical artery 10wks	Omphalocele	Intestinal mairotation
Algo Based Most Common Algo Based Syndrome Associated	Meckel Gruber Syndrome																	,				
Earliest seen	10wks																					
Earlik	Polydactyly (101)																					

Fig. 20

		ימ בעילר דווסממנונים ואדיסום יאוסים ואפס
Imperrorate anus		סיאר-דאטאר-טופוואר פיאטאטושבי, וירב וע
		MIDLINE MALFORMATIONS, MULTIPLE, WITH
Small genitalia	16wks (small penis)	LIMB ABNORMALITIES AND HYPOPITUITARISM
Ambiguous genitalia	15wks	HOLOPROSENCEPHALY 1, ALOBAR; HPE1
Cryptorchidism		ROBINOW-SORAUF SYNDROME
Polycystic kidneys	10wfts III	THANATOPHORIC DYSPLASIA; TD
Γ	12wks	RUBINSTEIN SYNDROME
Duplicated uniters		KLIPPEL-TRENAUNAY-WEBER SYNDROME
Hypoplastic bladder		POLYCYSTIC KIDNEYS
Bowed long bones	16wks	
Syndactyly	Swks 1	30
Clinodactyly	15wks	
Talipes	11wks III	
Polydactyly (101)	1 sympl	
	Auto	
	i 4MN3	
encephalocele	10wks i	
3	Swks III	
Dandy-Walker	(Curbs III	
T		
Cerebrai nypopiasia		
Cerebellar hypoplasia	14wks	
Anencephaly	9wice I	
Absence of corpus		
Adrenal hypoplasia		
	Swks III	
Piacental enlargement		

Fig. 2D




Fig. 3A




Fig. 3B




Fig. 4A




Fig. 4B




Fig. 4C